This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





Fig. 1A




Fig. 1B

WO 02/051986 PCT/IL01/01197

2/12




Fig. 2





Fig. 3



SUBSTITUTE SHEET (RULE 26)




Fig. 5




Fig. 6





Fig. 7






Fig. 8B





Fig. 9

WO 02/051986 PCT/IL01/01197



SUBSTITUTE SHEET (RULE 26)

11/12




Fig. 11




Fig. 12

Figure 13: Glucose Tolerance Time Curves




Figure 14a: MRI fat content (IP-OP)





Figure 14b: MRI SI index (IP-OP/IP)



^

Figure 15a: AST levels in response to Con-A in the adoptive transfer groups




Figure 15b: ALT in response to Con-A levels in the adoptive transfer groups




Figure 17a: Average MRI hepatic fat content (SI index)- wildtype mice





Figure 17b: Average MRI hepatic fat content (SI index)- ob/ob mice



explain a region of the second

Figure 18a: AST levels in wildtype mice





Figure 18b: AST levels in ob/ob mice



State Survey Bills

Figure 19: average Anti-HBS titers after vaccination (Miu/ml)HBV vaccination (Miu/ml)




Figure 20: Effect of Transplantation of NKT Cells on Survival

a a principal distribuir de la company d





Figure 21: Effect of Transplantation of NKT Cells on Perifpheral CD4+/CD8+ Ratio



e estera desira este elegible distilia distilia desira desira de este este en este elegible.

Figure 22: Effect of Transplantation of NKT Cells on Liver CD4+/CD8+ Ratio

the statement where the state of the state o




Figure 23: Effect of Transplantation of NKT Cells On Serum IL-12(pg/ml):




Figure 24: Effect of Transplantation of NKT cells on Serum IL-10 (Pg/ml)

